



experts in cooling technology



VERTICAL COOLERS

mini coolers

mini coolers



S 56 SC



S 88 SC



S 149 SC



S 149 SL

STANDART FEATURES

- "C" Climate class
- Temperature range 0/+10 °C
- Fan assisted cooling
- Adjustable thermostat
- Tempered double glass
- Thermoformed inner liner
- Plastic back panel
- Ozone friendly refrigerant R134a

S 56 SC / S 88 SC

- Vertical inner light
- 4 adjustable feet
- Illuminated canopy
- Self-closing door
- Wall mountable

S 149 SC / SL

- Horizontal internal light
- 2 adjustable feet at front, 2 rollers at the rear
- Solid lid door (SL)

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0,33 l can	0,50 l pet bottle
S 56 SC	435	485	740	58	50	33	30	55	20
S 88 SC	490	545	835	88	81	39	36	64	48
S 149 SC	595	664	810	149	145	50	44	133	70
S 149 SL	595	664	810	149	145	47	41	133	70

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13,6 m truck
S 56 SC	165	340	345	417
S 88 SC	85	184	272	312
S 149 SC / SL	54	114	170	240

OPTIONAL FEATURES


- Thermometer (Analogue / Digital)
- Fan switch
- Door lock
- Price holder
- Additional shelf
- Sticker application
- Customized silk screen printing on the outer body
- Coloured body
- Coloured visual plastic parts

S 56 SC / S 88 SC

- Reversible door
- Steel sheet inner liner
- Vertical inner light with led

S 149 SC / SL

- Internal light switch
- Horizontal inner light with led



VERTICAL COOLERS

single doors



S 240 SC



D 372 SCM 5C



D 372 SCM 4C

STANDART FEATURES

- "C" Climate class
- Temperature range 0/+10 °C
- Fan assisted cooling
- Adjustable thermostat
- Tempered double glass
- Steel sheet body with electrostatic powder paint
- Thermoformed plastic inner liner
- Illuminated canopy
- Horizontal internal light
- Built-in door handle
- Plastic kick plate
- Plastic back panel
- 2 adjustable feet at front, 2 rollers at the rear
- Ozone friendly refrigerant R134a

S 240 SC

- 3 adjustable shelves

D 372 SCM 5C / 4C

- 5 adjustable shelves

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0,33 l can	0,50 l pet bottle
S 240 SC	595	600	1355	250	223	66	60	273	136
D 372 SCM 5C	595	640	1856	372	334	80	71	399	203
D 372 SCM 4C	595	640	1985	372	334	82,5	73,5	399	203

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13,6 m truck
S 240 SC	27	57	57	80
D 372 SCM 5C	27	57	57	80
D 372 SCM 4C	27	57	57	80

OPTIONAL FEATURES

- Thermometer (Analogue / Digital)
- Internal light switch
- Vertical internal light
- Fan switch
- On/off switch for mains
- On/off switch for canopy
- Metal kick plate
- Door lock
- Self closing door
- Reversible door
- Gravity shelf
- Sticker application
- Price holder
- Customised silk screen printing on the body
- Coloured body
- Coloured visual plastic parts
- 4 rollers
- Grab door handle
- Horizontal / vertical inner light with LED

D 372 SCM 4C

- "D" climate class
- Refrigerant R-600
- Energy saving solution
- Curved canopy / glass door / kick plate
- Street Cooler version
- (Operation range : -20 °C / +32 °C)
- Night cover
- Door lock with remote control



VERTICAL COOLERS

single doors

single doors



D 372 SCM 4



D 372 SCM 4 TD



D 372 SLM 4

STANDART FEATURES

- "C" Climate class
- Temperature range 0/+10 °C
- Fan assisted cooling
- Adjustable thermostat
- Steel sheet body with electrostatic powder paint
- Thermoformed plastic inner liner
- Horizontal internal light
- Built-in door handle
- Plastic kick plate
- Plastic back panel
- 2 adjustable feet at front, 2 rollers at the rear
- 5 adjustable shelves
- Ozone friendly refrigerant R134a

D 372 SCM 4 / 4 TD

- Tempered double glass

D 372 SLM 4

- Solid lid door

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0.33 l can	0.50 l pet bottle
D 372 SCM 4	595	640	1856	372	334	81	72	399	203
D 372 SLM 4	595	640	1856	372	327	81	72	399	203
D 372 SCM 4 TD	595	640	1856	372	334	81	72	399	203

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
D 372 SCM 4	27	57	57	80
D 372 SLM 4	27	57	57	80
D 372 SCM 4 TD	27	57	57	80

OPTIONAL FEATURES

- Thermometer (Analogue / Digital)
- Internal light switch
- Vertical internal light
- Fan switch
- On/off switch for mains
- Door lock
- Self closing door
- Reversible door
- Gravity shelf
- Metal kick plate
- Grab door handle
- Sticker application
- Price Holder
- Customised silk screen printing on the body
- Coloured body
- Coloured visual plastic parts
- Horizontal / vertical inner light with LED
- 4 rollers



VERTICAL COOLERS

single doors



D 418 GCD



D 418 GCDC



SC 505 TF

STANDART FEATURES

- "C" Climate class
- Temperature range 0/+10 °C
- Fan assisted cooling
- Adjustable thermostat
- Tempered double glass
- Steel sheet body with electrostatic powder paint
- Thermoformed plastic inner liner
- Illuminated canopy (Except D 418 GCD)
- Built-in door handle
- Plastic kick plate
- Plastic back pannel
- 4 adjustable feet
- 5 adjustable shelves
- Horizontal internal light

SC 505 TF

- Vertical internal light

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0.33 l can	0.50 l pet bottle
D 418 GCD	585	685	1900	418	348	94	86	490	245
D 418 GCDC	595	695	2080	418	348	96	88	490	245
SC 505 TF	760	810	1997	510	460	125	117	540	270

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6m truck
D 418 GCD	27	57	57	72
D 418 GCDC	27	57	57	72
SC 505 TF	27	57	57	63

OPTIONAL FEATURES

- Thermometer (Analogue / Digital)
- Internal light switch
- Fan switch
- On/off switch for mains
- On/off switch for canopy
- Door lock
- Door lock with remote control
- Self closing door
- Reversible door
- Gravity shelf
- Stücker application
- Price holder
- Customised silk screen printing on the body
- Coloured body
- Coloured visual plastic parts
- "Inox look" outer body
- Grab door handle
- Vertical inner light with LED
- Street Cooler version (Operation range : -20 °C / +32 °C)
- Night cover

SC 505 TF

- Prepainted steel sheet inner liner

D 418 GCD / GCDC

- Vertical internal light

D 418 GCDC

- Curved canopy / glass door / kick plate



VERTICAL COOLERS

single doors



SC 600



S 650 SC



S 650 SL



STANDART FEATURES

- "C" Climate class
- Temperature range 0/+10 °C
- Fan assisted cooling
- Adjustable thermostat
- Steel sheet body with electrostatic powder paint
- Prepainted steel sheet inner liner
- Built-in door handle
- Plastic kick plate
- Plastic back panel
- 4 adjustable feet
- 5 adjustable shelves
- Self closing door
- Fan switch
- Vertical internal light
- Illuminated top canopy
- Ozone friendly refrigerant R134a

S 650 SC / SC 600

- Tempered double glass

S 650 SL

- Solid lid door

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0.33 l can	0.50 l pet bottle
SC 600	695	750	2010	591	530	124	116	720	360
S 650 SC	695	815	2010	658	576	127	119	720	360
S 650 SL	695	815	2010	658	576	112	104	720	360

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
SC 600	24	48	48	17
S 650 SC	22	44	44	52
S 650 SL	22	44	44	52

OPTIONAL FEATURES

- Thermometer (Analogue / Digital)
- Internal light switch
- On/off switch for mains
- On/off switch for canopy
- Door lock
- Door lock with remote control
- Reversible door
- Gravity shelf
- Sticker application
- Price holder
- Customised silk screen printing on the body
- "Inox look" Outer body
- Vertical inner light with LED
- Curved canopy / glass door / kick plate
- Coloured body
- Coloured visual plastic parts
- Grab door handle
- Metal kick plate
- 4 rollers
- Street Cooler version (Operation range : -20 °C / +32 °C)
- Night cover

S 650 SC / SC 600

- Roto Shelf System



VERTICAL COOLERS

double doors



S 880 SC DD



S 880 SC TD



+Roto Shelf System



S 900 SC DD



S 900 SC TD



S 1000 SC DD




S 1000 SC TD



S 1200 SC DD



S 1200 SC TD



VERTICAL COOLERS

double doors

double doors

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0.33 l can	0.50 l pet bottle
S 880 SC DD	860	820	2010	806	594	157	145	960	480
S 880 SC TD	860	860	2010	914	700	156	144	960	480
S 900 SC DD	1103	694	2010	856	718	169	159	900	450
S 900 SC TD	1103	734	2010	945	725	173	164	900	450
S 1000 SC DD	990	820	2010	957	803	169	160	1040	520
S 1000 SC TD	990	860	2010	1044	796	173	164	1040	520
S 1200 SC DD	1100	820	2010	1075	902	191	179	1200	600
S 1200 SC TD	1100	860	2010	1175	910	198	186	1200	600

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
S 880 SC DD / TD	12	28 / 26	28 / 26	32 / 30
S 900 SC DD / TD	15	32 / 30	32 / 30	36
S 1000 SC DD / TD	12	28 / 26	28 / 26	32 / 30
S 1200 SC DD / TD	12	28 / 26	28 / 26	32 / 30

STANDART FEATURES

- "C" Climate class
- Temperature range 0/+10 °C
- Fan assisted cooling
- Adjustable thermostat
- Steel sheet body with electrostatic powder paint
- Tempered double glass
- 2 vertical inner lights
- Self closing/sliding door with stopper (Only for DD models & Roto)
- 4 adjustable heavy duty shelves
- Prepainted steel sheet inner liner
- Plastic kick plate
- 4 adjustable feet
- On/off switch for inner light
- On/off switch for canopy (Only for TD models)
- Illuminated top canopy
- Ozone friendly refrigerant R134a

OPTIONAL FEATURES


- Thermometer (Analogue / Digital)
- Sticker application
- Coloured body
- Coloured plastic parts
- Metal kick plate
- Door lock
- Door lock with remote control
- Door holder for TD models
- Vertical inner light with LED
- "Inox look" Outer body
- Night Cover

S 880 SC TD

- Roto Shelf System

S 880/1000/1200 SC DD/TD

- Street Cooler (Operation range : -20 °C / +32 °C)



HORIZONTAL COOLERS

counter & back bar

counter - backbar



S 300 RYSG



S 300 RYSG 2



S 220 BB

STANDART FEATURES

- "C" Climate class
- Fan assisted cooling
- Adjustable thermostat
- Temperature range 0/4-10 °C
- Steel sheet body with electrostatic powder paint
- Tempered double glass
- 4 adjustable feet
- Horizontal internal light
- 2 shelves
- Ozone friendly refrigerant R134a

S 300 RYSG - RYSG 2

- On/off switch for mains
- Prepainted steel sheet inner liner
- Easy serviceable cooling deck

S 220 BB

- Embossed aluminum inner liner

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0,33 l can	0,50 l pet bottle
S 300 RYSG	900	750	950	270	238	114	106	288	144
S 300 RYSG-2	900	750	950	270	238	114	106	288	144
S 220 BB	885	522	880	211	180	65	60	192	110

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
S 300 RYSG	28	60	60	66
S 300 RYSG 2	28	60	60	66
S 220 BB	48	100	100	120

OPTIONAL FEATURES


- Horizontal light with LED
- Metal back panel
- Sticker application
- Price holder
- Coloured body
- Coloured visual plastic parts
- Additional shelf

S 220 BB

- Door lock
- Prepainted steel sheet inner liner

S 300 RYSG - RYSG 2

- Main socket at rear



HORIZONTAL COOLERS

bottle coolers

bottle coolers



S 152 BCSG AC



S 152 BC



S 200 BCSG RF AC



S 300 BC

STANDART FEATURES

- "C" Climate class
- Adjustable thermostat
- Door lock
- Steel sheet body with electrostatic powder paint
- Temperature range 0/+10 °C
- Ozone friendly refrigerant R134a
- Embossed aluminium inner liner

S 152 BCSG AC

- 4 feet
- Sliding glass lid

S 200 BCSG RF AC

- Fan assisted cooling
- Sliding glass lid
- 2 fixed rollers + 2 castors

S 300 BCSG RF AC

- Fan assisted cooling (RF AC)
- Sliding glass lid
- 2 fixed rollers + 2 castors

S 152 BCSG AC

- 2 fixed rollers + 2 castors

S 152 BCSG AC

- 4 feet

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity 0,50 l pet bottle
	Width	Depth	Height	Gross	Net	Gross	Net	
S 152 BCSG AC	584	634	820	152	146	38	35	190
S 200 BCSG RF AC	634	724	820	179	118	50	45	203
S 300 BCSG RF AC	1014	634	880	152	146	62	58	583
S 152 BC	584	634	820	152	146	38	35	190
S 300 BC	1060	655	842	295	284	56	52	473
S 500 BC	1554	634	820	488	455	78	74	820

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
S 200 BCSG RF AC	48	102	152	171
S 152 BCSG AC / BC	51	114	170	188
S 300 BC	32	68	101	132

OPTIONAL FEATURES

- Thermometer (Analogue / Digital)
- Bottle opener
- Parasol holder
- Sticker application
- Customised silk screen printing on the body
- Coloured body
- Basket

S 152 BCSG AC / S 152 BC

- 2 fixed rollers + 2 castors

S 152 BCSG AC / S 200 - 300 BCSG RF AC

- Illuminated chest canopy



WINE COOLERS

WINE COOLERS



S 149 WIC H



S 149 WIC ST



D 372 WIC H



D 372 WIC ST

STANDART FEATURES

- Temperature range +7/+20 °C
- Static cooling
- Adjustable thermostat
- Horizontal internal light
- Built-in door handle
- 2 adjustable feet at front
- 2 rollers at the rear
- Door lock
- Plastic kick plate
- Thermoformed plastic inner liner
- Steel sheet body with electrostatic powder paint
- Ozone friendly refrigerant R134a

D 372 WIC H

- Solid door
- 5 adjustable wooden shelves

S 149 WIC H

- Solid lid door
- 2 adjustable wooden shelves

D 372 WIC ST

- Tempered double glass
- 5 standard and 2 gravity shelves

S 149 WIC ST

- Tempered double glass
- 2 adjustable wooden shelves
- Built-in door handle

Model	External dimension (mm)			Volume (l)		Weight (kgs)		Loading Capacity
	Width	Depth	Height	Gross	Net	Gross	Net	70 cl
S 149 WIC ST	595	664	810	149	145	50	44	22
S 149 WIC H	595	664	810	149	145	47	41	22
D 372 WIC ST	595	640	1856	372	334	72	67	35
D 372 WIC H	595	640	1856	372	334	72	67	35

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
S 149 WIC ST / H	60	114	170	240
D 372 WIC ST / H	27	57	57	80

OPTIONAL FEATURES

- Fan assisted cooling
- Thermometer
- Internal light switch
- Sticker application
- Fan switch
- Customised silk screen printing on the body
- Coloured body
- Main light switch
- Grab door handle

D 372 WIC H / ST

- Vertical inner light
- Self closing door
- Reversible door

D 372 WIC ST

- Wooden shelves



FREEZERS

conservators



D 200 DFSG AC



D 300 DFSG FF



D 400 DFSG AC



D 400 DFSG FC



D 500 DFSG AF



STANDART FEATURES

- Tropical class
- Temperature range 13/-23°C
- Adjustable thermostat
- Sliding glass lid
- Main light
- Low-E glass lid
- Lock
- 2 fixed rollers + 2 castors
- Embossed aluminium inner liner
- Steel sheet body with electrostatic powder paint
- Ozone friendly refrigerant R134a

OPTIONAL FEATURES

- Thermometer (Analog / Digital)
- Basket
- Galvanised inner liner
- Sticker application
- Ice scraper
- Chest canopy
- Bumper bar for corners
- Coloured body
- Refrigerant R-404a, R-600
- Coloured Plastic frame with: D 200 DFSG AC / D 300 DFSG AC / D 400 DFSG AC
- Glass top (ice cream display cabinet) D 400 DFSG AF / D 500 DFSG AF

Model	External dimension (mm)			Volume (l)		Weight (kgs)	
	Width	Depth	Height	Gross	Net	Gross	Net
D 200 DFSG AC / AF	724	634	820	188	152	55	50
D 200 DFSG FF / FC	724	634	820	190	157	55	50
D 300 DFSG AC / AF	1014	634	820	292	245	61	55
D 300 DFSG FF / FC	1014	634	820	296	245	61	55
D 400 DFSG AC / AF	1304	634	820	395	334	79	71
D 400 DFSG FF / FC	1304	634	820	401	334	79	71
D 500 DFSG AC / AF	1554	634	820	485	410	85	76
D 500 DFSG FF / FC	1554	634	820	493	411	85	76

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6m truck
D 200 DFSG AC / AF / FF / FC	48	102	152	171
D 300 DFSG AC / AF / FF / FC	32	68	101	132
D 400 DFSG AC / AF / FF / FC	24	50	74	80
D 500 DFSG AC / AF / FF / FC	20	48	72	81



FREEZERS

chest freezers

chest freezers



D 200 DF



D 300 DF



D 400 DF



D 500 DF

STANDART FEATURES


- Tropical class
- Temperature range -18/-34 °C
- Adjustable thermostat
- Solid lid with integrated lock
- Control panel
- Mains light
- Fast freeze light switch
- Temperature warning light
- 1 basket for D 200 DF
- 2 baskets for D 300 DF & D 400 DF
- 3 baskets for D 500 DF
- 4 rollers
- Steel sheet body with electrostatic powder paint
- Embossed aluminium inner liner
- Ozone friendly refrigerant R134a

Model	External dimension (mm)			Volume (l)		Weight (kgs)	
	Width	Depth	Height	Gross	Net	Gross	Net
D 200 DF	724	720	845	190	175	47	42
D 300 DF	1014	720	845	295	272	53	48
D 400 DF	1304	720	845	400	371	66	60
D 500 DF	1554	720	845	490	455	74	67

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
D 200 DF	42	94	140	161
D 300 DF	32	66	96	110
D 400 DF	24	50	74	84
D 500 DF	20	42	63	73

OPTIONAL FEATURES

- Thermometer (Analogue / Digital)
- Basket
- Galvanised inner liner
- Sticker application
- Ice scraper
- Customised silk screen printing on the body
- Coloured body
- "Inox Look" outer body
- Bumper bar for corners
- Refrigerant R-600
- A energy class (D 200 DF, D 300 DF)
- C energy class (D 200 DF, D 300 DF, D 400 DF)



OPEN FRONT COOLERS



OF 185

OF 375

OF 1100

STANDART FEATURES

- Temperature range 0/+10 °C
- Fan assisted cooling
- Tempered side glasses
- Steel sheet body with electrostatic powder paint
- Prepainted steel sheet inner liner
- Night curtain
- Easy replacement with pallet truck bottom frame for of 1100
- Ozone friendly refrigerant R134a (R404a with OF 1100)
- Digital thermometer

Model	External dimension (mm)			Volume (l)		Weight		Loading Capacity	
	Width	Depth	Height	Gross	Net	Gross	Net	0.33 l can	0.50 l pet bottle
OF 185	630	642	1571	193	141	100	90	182	92
OF 375	730	754	1851	380	264	137	127	324	162
OF 1100	1130	977	2120	1008	770	260	245	1110	555

OPTIONAL FEATURES

- Coloured body
- Coloured visual plastic parts
- Sticker application
- Price holder

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6m truck
OF 185	27	54	54	60
OF 375	21	45	45	51
OF 1100	10	24	24	28



Klimasan reserves the right to change specifications without prior notice



SUBZERO LINE

for beers

SUBZERO LINE



VN 29 B



VN 29 G



VN 50 B



VN 50 G

STANDART FEATURES

VN 29 B / VN 50 B

- Rounded design
- Adjustable shelves
- Door lock & automatic closing door
- Built-in handle
- Frost free system
- Digital temperature display
- sticker application
- Finned evaporator

VN 29 G / VN 50 G

- "Anti-lock" glass door
- Adjustable shelves
- Door lock & automatic closing door
- Ergonomic handle
- Frost free system
- Digital temperature display
- Internal light
- sticker application
- Finned evaporator (with cold air forced ventilation)
- Removable refrigeration unit base

Model	External dimension (mm)			Volume (l)		Weight (kgs)
	Width	Depth	Height	Gross	Net	Net
VN 29 B	675	680	1625	320	273	100
VN 29 G	675	680	1625	320	273	-
VN 50 B	675	850	2021	572	497	102
VN 50 G	675	850	2021	572	497	118

Model	Container/Truck Loading Capacities			
	20"	40"	40"HC	13.6 m truck
VN 29 B	24	48	48	48
VN 29 G	24	48	48	48
VN 50 B	20	42	42	60
VN 50 G	20	42	42	60



TURKEY:

Klimasan Klima San. ve Tic. A.Ş.
Manisa Organize Sanayi Bölgesi
Cumhuriyet Caddesi No:1-45010 Manisa
Phone : + 90 236 236 22 33
Fax : + 90 236 233 97 18
export@klimasan.com.tr
www.klimasan.com.tr

RUSSIA:

ООО "KLIMASAN"
Russia, 119331 - Moscow
Prospect Vernadskogo 29,
office: 305
Phone : +7 499 138 23 84
Fax : +7 499 138 31 18

UKRAINE:

LLC "KLIMASAN UKRAINE"
Ukraine, 03680 - Kiev
Prospect Peremohy No: 53
Phone : +380 44 454 08 56 / 57
Fax : +380 44 454 08 58
ukraine@klimasan.com.ua

KAZAKHSTAN:

ТОО "АКТОБЕ ЕКОРТ" -
Trade Mark "Kalugin & K"
1) Kazakhstan 050026 - Almaty
Gogola str- No: 253
Phone / Fax: +7 727 277 55 20 / 277 55 34 /
277 55 67
2) Kazakhstan 03000 - Aktobe
Prospect Abyldair Khan No: 1723
Phone / Fax: +7 3132 55 10 86 / 54 64 90